



LOCATION: Within the city of Cheney, home to Eastern Washington University, and approximately 19 miles from City of Spokane's Central Business District and approximately 18 miles from Spokane International Airport.

SITE: ±243,742 SF (±5.59) acres; Parcel numbers 13232.0080 & 13232.0081

ZONING: C-2, General Commercial per city of Cheney

WATER & SEWER : City of Cheney service area; service mains for both water and sewer may need to be extended to service parcel 13232.0081; sewer main extension may require an onsite sewage pump.

POWER: 3 phase power is available at the NW side of the property per City of Cheney Planning

All utility information needs to be verified and development requires a pre-development meeting with the City of Cheney to approve use.

SINGLE FAMILY HOUSE: Year Built: 1976
Square Footage: 1,008 per county records

PRELIMINARY PLANS ATTACHED FOR MINI STORAGE: Plans call for 36 covered RV storage units, 12 inside RV storage units, and 204 inside storage units.

SALE PRICE: \$900,000.00

Commercial Land with Single Family House

1529 W. 1st Street
Cheney, WA 99004

**View
Location**



MARK LUCAS, SIOR

509.755.7524

mlucas@kiemleahagood.com

TRACY LUCAS

509.755.7558

tracyl@kiemleahagood.com


601 WEST MAIN AVENUE, SUITE 400
SPOKANE, WA 99201

**KIEMLE
HAGOOD**

OFFICE LOCATIONS

SPOKANE | COEUR D'ALENE | TRI-CITIES | PALOUSE | MISSOULA

All information herein is furnished by the owner and believed to be complete and correct. The Agent, however, cannot be responsible for changes, errors, omissions or withdrawals of this offering without notice. The above information is from sources deemed reliable but should be verified by parties that could be adversely affected by any statements or information. This is not an offering of sub-agency, with commission splits to be determined. 04/15/24/tp J:\BROKERS\LUCAS DOCS\FLYERS\1st St. W 1529.PUB



MARK LUCAS, SIOR

509.755.7524

mlucas@kiemleahagood.com

TRACY LUCAS

509.755.7558

tracyl@kiemleahagood.com

**KIEMLE
HAGOOD**

Kiemle Hagood respects the intellectual property of others: If you believe the copyright in your work has been violated though this Website, please contact our office for notice of claims of copyright infringement. For your complaint to be valid under the Digital Millennium Copyright Act of 1998 (DMCA), you must provide the following information when providing notice of the claimed copyright infringement: Identify the material on the Website that you believe infringes your work, with enough detail so that we may locate it on the Website; provide your address, telephone number and email address; provide a statement that you have a good faith belief that the disputed use is not authorized by the copyright owner, its agent, or the law; provide a statement that the information in the notification is accurate, and under penalty of perjury, that the complaining party is authorized to act on behalf of owner of an exclusive right that is allegedly infringed; provide your physical or electronic signature. Upon receiving your complaint, Kiemle Hagood will, upon review, remove content that you believe infringes your copyright if the complaint is found valid.


Commercial Land
1529 W. 1st Street
Cheney, WA 99004



Street View

Google

Imagery ©2024 Airbus, Google, Data SIO, NOAA, U.S. Navy, NGA, GEBCO, Landsat / Copernicus, Map data ©2024 Google United States Terms Privacy Send Product Feedback 50 ft




PRELIMINARY
NOT FOR
CONSTRUCTION

Equilis Capital Partners
Cheney Self-Storage
1515 West 1st Street, Cheney, WA 99004
ARCHITECTURAL SITE PLAN

REVISIONS:

DATE: 2/14/2023
JOB NO: 23-0104
DRAWN BY: BB
Revised
AS1.1




ARCHITECTURAL SITE PLAN
SCALE: 1" = 40'



SITE PLAN

SYMBOL LEGEND:



ABBREVIATIONS:

1. AND ANGLE	FLASHING	FLU. FLU. BLOCK	P.M. PRECAST METAL	PRECAST METAL FRAME
2. CENTERLINE	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
3. DIAMETER OF ROUND	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
4. FOUND. OR NUMBER	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
5. AREA DRAIN	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
6. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
7. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
8. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
9. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
10. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
11. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
12. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
13. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
14. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
15. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
16. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
17. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
18. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
19. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
20. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
21. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
22. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
23. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
24. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
25. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
26. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
27. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
28. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
29. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
30. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
31. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
32. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
33. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
34. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
35. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
36. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
37. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
38. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
39. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
40. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
41. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
42. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
43. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
44. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
45. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
46. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
47. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
48. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
49. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
50. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
51. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
52. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
53. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
54. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
55. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
56. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
57. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
58. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
59. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
60. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
61. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
62. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
63. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
64. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
65. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
66. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
67. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
68. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
69. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
70. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
71. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
72. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
73. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
74. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
75. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
76. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
77. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
78. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
79. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
80. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
81. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
82. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
83. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
84. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
85. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
86. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
87. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
88. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
89. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
90. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
91. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
92. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
93. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
94. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
95. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
96. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
97. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
98. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
99. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST
100. ALUM. ALUMINUM	F.D.C. FACE OF CONCRETE	P.F. PRECAST	P.F. PRECAST	P.F. PRECAST

PROJECT DIRECTORY

OWNER:
EQUILIS CAPITAL PARTNER
1515 WEST 1ST STREET
CHENEY, WA 99004
CONTACT: NORMAN THUMMERS
PHONE: (509) 695-0003

ARCHITECT:
BAKER ARCHITECTURE
PO BOX 189
RICHLAND, WA 99352
CONTACT: BRUCE BAKER
PHONE: (509) 551-7425

GENERAL NOTES

- WORK SHALL CONFORM WITH THE LATEST EDITION OF THE INTERNATIONAL BUILDING CODE AND ALL OTHER APPLICABLE CITY, STATE OF WASHINGTON, AND FEDERAL GOVERNMENT CODES AND ORDINANCES.
- THE CONTRACTOR AND ALL SUBCONTRACTORS SHALL HAVE CITY BUSINESS LICENSES.
- CONTRACTOR IS RESPONSIBLE FOR VERIFICATION OF SITE CONDITIONS, INSTALLATION STANDARDS AND CONSTRUCTION CONDITIONS. DISCREPANCIES BETWEEN SITE CONDITIONS AND THE CONSTRUCTION DRAWINGS SHALL BE CALLED TO THE ATTENTION OF THE ARCHITECT. WORK DONE WITHOUT THE ARCHITECT'S APPROVAL IS THE RESPONSIBILITY OF THE CONTRACTOR.
- CONTRACTOR AND SUBCONTRACTORS SHALL VERIFY ALL DIMENSIONS AND EXISTING CONDITIONS BEFORE THE START OF CONSTRUCTION AND BE RESPONSIBLE FOR THE SAME. THEY SHALL NOTIFY THE ARCHITECT OF ANY VARIATIONS FROM THE BIG DOCUMENTS THAT ARE DISCOVERED.
- CONTRACTOR ALONE SHALL BE RESPONSIBLE FOR SAFETY. CONTRACTOR SHALL PROVIDE ADEQUATE SAFEGUARDS, SAFETY DEVICES AND PROTECTIVE EQUIPMENT AND TAKE ANY OTHER ACTIONS NECESSARY TO PROTECT THE LIFE, HEALTH, AND SAFETY OF THE PUBLIC AND TO PROTECT THE PROPERTY IN CONNECTION WITH THE PERFORMANCE OF THE WORK COVERED BY THE CONTRACT.
- FIRE EXTINGUISHERS SHALL BE PROVIDED IN ACCORDANCE WITH IFC 906 AND NFPA TO BE LOCATED IN MARKED OR VISIBLE LOCATION, PROVIDE A MINIMUM OF ONE 2A:10BC RATED EXTINGUISHER NO HIGHER THAN 40' ABOVE FLOOR.
- ADDRESS NUMBERS SHALL BE PROVIDED AND MAINTAINED PER IFC SEC. 505.1
- PROVIDE (1) KNOX BOX KEYS TO THE LOCAL FIRE DEPARTMENT KEY. THE KEY BOX SHALL BE INSTALLED AT A LOCATION APPROVED BY THE CITY FIRE DEPARTMENT. TOP OF KEY BOX TO BE MOUNTED NO HIGHER THAN 5 FEET ABOVE FINISHED FLOOR.

PROJECT DATA

PROJECT ADDRESS: 1515 WEST 1ST STREET
CHENEY, WA 99004

CODE: 2019 I.B.C. WASHINGTON STATE AMENDMENTS, A.D.A. ACCESSIBILITY GUIDELINES, ICC/ANSI A117.1-2009

ZONING: COMMERCIAL

OCCUPANCY: S1 OCCUPANCY

CONSTRUCTION TYPE: I-B

BUILDING GROSS AREA: BUILDING A, B, C, D 12,000 SF EA.
BUILDING E = 12,000 SF
BUILDING F = 12,000 SF
BUILDING G = 4,000 SF
BUILDING H = 30,000 SF
TOTAL = 106,000 SF

OCCUPANTS: BUILDING A, B, C, D = 24 OCCUPANTS EA.
BUILDING E = 24 OCCUPANTS
BUILDING F = 24 OCCUPANTS
BUILDING G = 8 OCCUPANTS
BUILDING H = 80 OCCUPANTS


SHEET INDEX:

- TITLE SHEETS:**
- G1.1 GENERAL INFORMATION
- CIVIL:**
- C0.0 COVER SHEET
C0.1 VICE GENERAL NOTES
C1.1 TOP/DEMOPLAN
C2.0 SWAMP COVER
C2.1 SWAMP NOTES
C3.1 SITE PLAN
C3.2 HORIZONTAL CONTROL PLAN
C4.0 GRADING - SOUTH
C4.1 GRADING PLAN - NORTH
C4.1 0.7 GRADING PLAN - FOR REF. ONLY
C5.0 STORM DRAINAGE PLAN
C5.1 POND DETAILS
C7.0 WATER COVER SHEET
C7.1 WATER PLAN
C7.2 WATER DETAILS
- ARCHITECTURAL:**
- AS1.1 ARCHITECTURAL SITE PLAN
A1.1 BUILDINGS A, B, C & D
A1.2 BUILDING E
A1.3 BUILDING F
A1.4 BUILDING G
A1.5 BUILDINGS H & I
A1.6 BUILDINGS H & I OVERALL

VICINITY MAP




ACCESSORY MOUNTING HEIGHTS FOR ACCESSIBILITY



REVISIONS:

DATE: 2/14/2023
JOB NO: 23-0104
DRAWN BY: BB
G1.1



BUILDINGS A, B, C & D


PRELIMINARY
NOT FOR
CONSTRUCTION

Equilis Capital Partners
Cheney Self-Storage
1515 West 1st Street, Cheney, WA 99004
BUILDINGS A, B, C & D

REVISIONS:

DATE: 2/14/2023
JOB NO.: 23-0104
DRAWN BY: BB

A1.1



BUILDING E


PRELIMINARY
NOT FOR
CONSTRUCTION

Equilis Capital Partners
Cheney Self-Storage
1515 West 1st Street, Cheney, WA 99004
BUILDING E

REVISIONS:

DATE: 2/14/2023
JOB NO.: 23-0104
DRAWN BY: BB

A1.2



BUILDING F


PRELIMINARY
NOT FOR
CONSTRUCTION

Equilis Capital Partners
Cheney Self-Storage
1515 West 1st Street, Cheney, WA 99004
BUILDING F

REVISIONS:

DATE: 2/14/2023
JOB NO.: 23-0154
DRAWN BY: BB

A1.3



BUILDING G


PRELIMINARY
NOT FOR
CONSTRUCTION

Equilis Capital Partners
Cheney Self-Storage
1515 West 1st Street, Cheney, WA 99004
BUILDING G

REVISIONS:

DATE: 2/14/2023
JOB NO.: 23-0154
DRAWN BY: BB

A1.4



PRELIMINARY
NOT FOR
CONSTRUCTION

Equilis Capital Partners
Chenoey Self-Storage
1515 West 1st Street, Chenoey, WA 99004
BUILDINGS H & I OVERALL

REVISIONS


DATE: 2/14/2023
JOB NO.: 23-0104
DRAWN BY: BB

A1.6

BUILDINGS H & I

NW1/4, SEC.23, T.23N., R.41E., W.M.

UNDERGROUND SERVICE ALERT
ONE-CALL NUMBER
811
CALL 811 FOR ALL
UTILITY LOCATIONS




- LEGEND**
- 1. FIRE HYDRANT
 - 2. WATER METER
 - 3. WATER VALVE
 - 4. WATER VALVE MARKER
 - 5. WELL
 - 6. WATER MANHOLE
 - 7. SANITARY SEWER MANHOLE
 - 8. SANITARY SEWER CLEANOUT
 - 9. GAS METER
 - 10. GAS MANHOLE
 - 11. GAS VALVE
 - 12. IRRIGATION CATCH BASIN
 - 13. IRRIGATION BOX
 - 14. IRRIGATION VALVE
 - 15. CATCH BASIN
 - 16. DRAINAGE MANHOLE
 - 17. DRYWELL
 - 18. CATCH BASIN
 - 19. ELECTRIC METER
 - 20. GUY WIRE
 - 21. POWER POLE
 - 22. POWER MANHOLE
 - 23. POWER VAULT
 - 24. POWER TRANSFORMER
 - 25. TE POLE
 - 26. TEL. CABLE RISER
 - 27. TEL. JBOX
 - 28. TEL. MANHOLE
 - 29. UTILITY MANHOLE
 - 30. UTILITY VAULT
 - 31. JUNCTION BOX
 - 32. JUNCTION BOX
 - 33. SIGN
 - 34. STREET LIGHT ASSEMBLY
 - 35. LIGHT POLE
 - 36. MAIL BOX
 - 37. ROCK
 - 38. RIPRAP
 - 39. SHRUB
 - 40. TREE (CONIFER)
 - 41. TREE (DECIDUOUS)
 - 42. RUMBLE BARS
 - 43. TEST WELL
 - 44. WETLAND FLAG
 - 45. RR CROSSING SIGNAL
 - 46. GATE POST
 - 47. BOLLARD

- ABBREVIATIONS**
- | | |
|--------------------------------|-----------------------------|
| ACT. LEN. ACTUAL LENGTH | MANHOLE |
| BOR. BEGINNING OF CURVE RADIUS | MOR. MIDDLE OF CURVE RADIUS |
| BOV. BOUNDARY | PC. POINT OF CURVATURE |
| CO. SEWER CLEANOUT | PET. PETROLEUM |
| CSC. CIRCLED SURFACE | PI. POINT OF INTERSECTION |
| CT. TOP COURSE | PRC. POINT OF REVERSE CURVE |
| DIA. DRAIN | PT. POINT OF TANGENCY |
| EL. ELEVATION | RM EL. RM ELEVATION |
| END. END OF CURVE RADIUS | RD. ROAD |
| EXIST. EXISTING | SE. STREET INTERSECTION |
| G. GRADE | ST. SANITARY SEWER |
| GR. GRADE BREAK | STA. STATION |
| FT./FT. FEET PER FOOT | STA. LEN. STATION LENGTH |
| HYD. HYDRANT | TO. TOP OF GRADE |
| INVERT INVERT ELEVATION | TO. TOP OF CURB |
| LN. LANE | |
| LT. LEFT | |

- DEMOLITION NOTES**
1. EXISTING FENCE TO BE REMOVED.
 2. PORTION OF EXISTING GRAVEL TO BE REMOVED.

SURVEYOR'S NOTE:
1. UTILITIES SHOWN HEREON ARE FROM VISIBLE SURFACE EVIDENCE COLLECTED BY SURVEY. INVESTIGATION INTO RECORDS YIELD BY UTILITY PURVEYORS HAD NOT BEEN PERFORMED. LOCATES FOR UNDERGROUND UTILITIES WERE ORDERED AND ARE SHOWN ON THIS MAP.
2. SOME ITEMS MIGHT BE MISSING ON THIS MAP AND NOT LOCATED DUE TO THE FACT THAT IT WAS AN ACTIVE PARKING LOT.

THIS MAP CORRECTLY REPRESENTS A TOPOGRAPHIC SURVEY PERFORMED BY ME, OR UNDER MY DIRECTION, IN JUNE OF 2022 AT THE REQUEST OF EQUILIS CAPITAL PARTNERS, LLC.
BRETT A. GRIFFITH, P.L.S.
CERTIFICATE NO. 20123194
06/26/23



PRELIMINARY
05/27/23

TOPO / DEMO PLAN

FOR REFERENCE ONLY

NAVD - 88
FOUND BENCHMARK
ELEVATION 1000.00
BY 1001 WITH AN ESTABLISHED
ELEVATION OF 1000.00

NO.	DATE	BY	REVISIONS
1	06/27/23	WCE	ORIGINAL PREPARATION

SCALE:
HORIZONTAL: 1" = 40'
VERTICAL: N/A

PROJ #: 23-3180
DATE: 06/27/23
DRAWN: DJW
REVIEWED: NOK

WCE
WCE CONSULTING ENGINEERS
1515 WEST 1ST STREET
CHENOY, WA 99004
PH: 509-885-9177 FAX: 509-885-9177

CHENOY MINI-STORAGE
TOPO/DEMO PLAN
1529 WEST 1ST STREET
CHENOY, WA 99004

SHEET
C1.0
JOB NUMBER
22-3180